FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY (MSO-519)

(MSO-519)
IDENTIFICATION NUMBER

COMMANDED BY

LT. T. HUTTINGER, U. S. N.

Attached to { 85 Division, 8 Squadron, Flotilla, ATLANTIC Fleet, 6th Naval District,

Commencing 0001, 1 April, 1963,
(zone time and date)

at Savannah, Georgia +5R,
(location)

and ending 2400, 30 April 1963, 19 ,
(zone time and date)

at Savannah, Georgia +5R
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE MONDAY (Day) 1 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.24	60	58	—	—	—	—	—	—
02	—	—	10	CLR	30.24	60	58	—	—	—	—	—	—
03	—	—	10	CLR	30.23	60	58	—	—	—	—	—	—
04	—	—	1	F	30.23	58	57	—	—	—	—	—	—
05	—	—	1	F	30.22	57	57	—	—	—	—	—	—
06	115	4	10	CLR	30.26	57	57	—	—	—	—	—	—
07	115	4	10	CLR	30.28	57	57	—	—	—	—	—	—
08	—	—	10	CLR	30.30	65	63	—	—	—	—	—	—
09	—	—	10	CLR	30.34	67	64	—	—	—	—	—	—
10	—	—	10	CLR	30.34	71	70	—	—	—	—	—	—
11	115	4	10	CLR	30.35	72	70	—	—	—	—	—	—
12	115	10	10	CLR	30.34	75	66	—	—	—	—	—	—
13	115	10	10	CLR	30.34	75	66	—	—	—	—	—	—
14	115	10	10	CLR	30.32	75	64	—	—	—	—	—	—
15	115	10	10	CLR	30.30	74	64	—	—	—	—	—	—
16	115	10	10	CLR	30.30	74	64	—	—	—	—	—	—
17	115	11	10	CLR	30.29	73	64	—	—	—	—	—	—
18	115	10	10	CLR	30.29	72	64	—	—	—	—	—	—
19	—	—	10	CLR	30.29	70	63	—	—	—	—	—	—
20	—	—	10	CLR	30.29	68	62	—	—	—	—	—	—
21	—	—	10	CLR	30.30	66	62	—	—	—	—	—	—
22	—	—	10	CLR	30.31	65	61	—	—	—	—	—	—
23	—	—	10	CLR	30.31	64	61	—	—	—	—	—	—
24	—	—	10	CLR	30.30	64	61	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
—

FUEL CONSUMED 0000-2400
—

REMARKS

0000-0004 MOORED PORT ~~STARBOARD~~ SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: LCDR. MASHAW, ACTING COMINDIV 85. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

B D Taylor Jr
ENS. USNR

0000-0008 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B D Taylor Jr
ENS. USNR.

APPROVED: J Hutton Jr U.S.N. COMMANDING

EXAMINED: D A Earle, Jr U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 1 (Date) APRIL (Month), 19 53

07-12 MOORED AS BEFORE

W.H. Reed LTJG USNR

12-16 MOORED AS BEFORE

W.H. Reed LTJG USNR

16-20 MOORED AS BEFORE.

W.H. Reed LTJG USNR.

20-24 MOORED AS BEFORE.

W.H. Reed LTJG USNR.

APPROVED: J. Hutton Jr. U.S.N. COMMANDING

EXAMINED: A.C. Fear LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 2 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.28	63	60	—	—	—	—	—	—
02	—	—	10	CLR	30.27	61	59	—	—	—	—	—	—
03	—	—	2	F	30.26	60	59	—	—	—	—	—	—
04	—	—	1/10	F	30.25	58	57	—	—	—	—	—	—
05	—	—	1/10	F	30.26	57	56	—	—	—	—	—	—
06	—	—	1/10	F	30.30	57	56	—	—	—	—	—	—
07	—	—	1/10	F	30.31	57	56	—	—	—	—	—	—
08	—	—	10	CLR	30.31	57	56	—	—	—	—	—	—
09	—	—	10	CLR	30.33	58	56	—	—	—	—	—	—
10	—	—	10	CLR	30.33	75	66	—	—	—	—	—	—
11	—	—	10	CLR	30.34	75	68	—	—	—	—	—	—
12	180	4	10	CLR	30.33	76	67	—	—	—	—	—	—
13	180	6	10	CLR	30.31	76	66	—	—	—	—	—	—
14	180	6	10	CLR	30.29	76	67	—	—	—	—	—	—
15	180	6	10	CLR	30.28	76	66	—	—	—	—	—	—
16	135	9	10	CLR	30.27	75	62	—	—	—	—	—	—
17	140	10	10	CLR	30.25	75	64	—	—	—	—	—	—
18	145	6	10	CLR	30.26	74	64	—	—	—	—	—	—
19	—	—	10	CLR	30.27	72	65	—	—	—	—	—	—
20	—	—	10	CLR	30.27	71	65	—	—	—	—	—	—
21	—	—	10	CLR	30.29	68	66	—	—	—	—	—	—
22	—	—	10	CLR	30.29	68	66	—	—	—	—	—	—
23	130	2	10	CLR	30.26	68	64	—	—	—	—	—	—
24	130	2	10	CLR	30.26	68	64	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA. WITH STANDORD MOORING LINES DOUBLED TO THE PIER. SOPA IS LCDR MASNON, ACTING CO MINDIV 85 IN USS RIVAL (MSO 463). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

A A Snell LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

A A Snell LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 TUESDAY (Day) 2 (Date) APRIL (Month), 1963

0800-1200 MOORED AS BEFORE.

B. F. Taylor Jr.
ENS. USNR

1200-1600 MOORED AS BEFORE.

B. F. Taylor Jr.
ENS. USNR

1600-2000 MOORED AS BEFORE

B. F. Taylor Jr.
ENS. USNR

2000-2400 MOORED AS BEFORE

B. F. Taylor Jr.
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 3 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	2	10	CLR	30.30	68	60	—	—	—	—	—	—
02	—	—	10	CLR	30.24	67	61	—	—	—	—	—	—
03	—	—	10	CLR	30.20	65	62	—	—	—	—	—	—
04	—	—	1	F	30.22	62	59	—	—	—	—	—	—
05	—	—	1	F	30.22	60	58	—	—	—	—	—	—
06	—	—	1	F	30.24	60	58	—	—	—	—	—	—
07	—	—	3	F	30.26	58	57	—	—	—	—	—	—
08	—	—	6	CLR	30.27	63	60	—	—	—	—	—	—
09	—	—	10	CLR	30.28	69	65	—	—	—	—	—	—
10	—	—	10	CLR	30.27	73	67	—	—	—	—	—	—
11	180	3	10	CLR	30.26	76	68	—	—	—	—	—	—
12	180	3	10	CLR	30.25	79	69	—	—	—	—	—	—
13	180	4	10	CLR	30.22	81	75	—	—	—	—	—	—
14	185	5	10	CLR	30.20	82	78	—	—	—	—	—	—
15	190	7	10	CLR	30.18	80	79	—	—	—	—	—	—
16	200	6	10	CLR	30.18	80	78	—	—	—	—	—	—
17	200	5	10	CLR	30.17	76	75	—	—	—	—	—	—
18	205	5	10	CLR	30.17	74	73	—	—	—	—	—	—
19	205	4	10	CLR	30.16	73	72	—	—	—	—	—	—
20	210	3	10	CLR	30.16	72	71	—	—	—	—	—	—
21	210	3	10	CLR	30.17	71	70	—	—	—	—	—	—
22	210	3	10	CLR	30.16	69	68	—	—	—	—	—	—
23	210	3	10	CLR	30.18	68	67	—	—	—	—	—	—
24	210	10	10	CLR	30.15	64	62	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: —

FUEL CONSUMED 0000–2400: —

REMARKS

0000–0400 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: LCDR. MASHAW, ACTING COMINAV 8F IN USS RIVAL (MSO-468). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

B.D. Taylor Jr.
ENS. USNR

0400–0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE

B.D. Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGILITY MSO-519 WED. (Day) 3 (Date) APR (Month), 19 63

00-12 MOORED AS BEFORE.

D.H. King
Executive

12-16 MOORED AS BEFORE.

D.H. King
Executive

16-20 MOORED AS BEFORE.

D.H. King
Executive

20-24 MOORED AS BEFORE.

D.H. King
Executive

APPROVED:

[signature] U.S.N. COMMANDING

EXAMINED:

A.A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 4 (Date) APRIL (Month), 19 63

AT ~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.12	67	65	—	—	—	—	—	—
02	—	—	10	CLR	30.10	66	64	—	—	—	—	—	—
03	—	—	10	CLR	30.09	66	64	—	—	—	—	—	—
04	—	—	10	CLR	30.09	66	64	—	—	—	—	—	—
05	—	—	10	CLR	30.09	66	64	—	—	—	—	—	—
06	—	—	8	CLR	30.08	65	64	—	—	—	—	—	—
07	—	—	8	CLR	30.08	65	64	—	—	—	—	—	—
08	—	—	8	CLR	30.08	66	64	—	—	—	—	—	—
09	—	—	8	CLR	30.07	71	65	—	—	—	—	—	—
10	—	—	10	CLR	30.08	75	68	—	—	—	—	—	—
11	—	—	10	CLR	30.08	79	68	—	—	—	—	—	—
12	230	8	9	CLR	30.05	83	68	—	—	—	—	—	—
13	230	8	8	CLR	30.03	84	69	—	—	—	—	—	—
14	230	6	8	CLR	2997	86	69	—	—	—	—	—	—
15	230	6	8	CLR	2993	87	70	—	—	—	—	—	—
16	230	8	8	CLR	2991	88	70	—	—	—	—	—	—
17	235	12	8	CLR	2991	88	70	—	—	—	—	—	—
18	235	12	8	CLR	2993	87	70	—	—	—	—	—	—
19	—	—	8	CLR	2994	85	70	—	—	—	—	—	—
20	—	—	8	CLR	2994	83	70	—	—	—	—	—	—
21	—	—	8	CLR	2998	83	70	—	—	—	—	—	—
22	—	—	8	CLR	30.00	76	71	—	—	—	—	—	—
23	—	—	8	CLR	30.00	74	65	—	—	—	—	—	—
24	—	—	8	CLR	30.00	70	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

~~00~~-04 MOORED PORT SIDE TO BERTH THREE AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LCDR MASHAW USN AT USS RIVAL (MSO-468). SHIPS PRESENT INCLUDE USS CHEWAUCAN (AOG-50) PLUS MISCELLANEOUS MERCHANTS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE MODIFIED SET.

J.H. King
Ens USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES: NONE.

J.H. King
Ens USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) ~~FRIDAY~~ THURSDAY 4 APRIL 19 63
(Day) (Date) (Month)

0800 — 1200 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

1200-1600 MOORED AS BEFORE

J. B. Marks, ENS, USNR

1600-2000 MOORED AS BEFORE

J. B. Marks ENS, USNR

2000-2400 MOORED AS BEFORE

J. B. Marks ENS, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fore, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 5 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.01	67	65	—	—	—	—	—	—
02	080	6	8	CLR	30.03	67	53	—	—	—	—	—	—
03	080	6	8	CLR	30.03	66	54	—	—	—	—	—	—
04	080	6	8	SCT	30.06	65	52	2	1600	CU	—	—	—
05	180	6	9	BKN	30.06	64	50	6	1600	CU	—	—	—
06	180	7	9	BKN	30.10	62	49	6	1600	CU	—	—	—
07	180	4	6	SCT	30.11	60	49	5	1600	CU	—	—	—
08	180	4	10	SCT	30.11	62	50	5	1600	CU	—	—	—
09	180	4	10	SCT	30.12	68	51	5	1600	CU	—	—	—
10	180	6	10	SCT	30.13	65	62	5	1600	CU	—	—	—
11	180	6	10	SCT	30.13	68	54	5	1600	CU	—	—	—
12	180	6	10	SCT	30.13	65	54	5	1600	CU	—	—	—
13	180	6	10	SCT	30.13	65	54	5	1600	CU	—	—	—
14	180	6	10	SCT	30.13	65	55	5	1600	CU	—	—	—
15	180	6	10	SCT	30.13	65	55	5	1600	CU	—	—	—
16	180	10	8	BKN	30.09	63	55	9	1600	CU	—	—	—
17	150	10	7	OVC	30.06	60	55	10	4500	AC	—	—	—
18	150	10	6	OVC	30.06	60	55	10	4500	AC	—	—	—
19	150	10	6	OVC	30.05	60	55	10	4500	AC	—	—	—
20	150	10	6	OVC	30.05	61	55	10	4500	AC	—	—	—
21	150	10	6	OVC	30.06	63	57	10	4500	AC	—	—	—
22	155	10	4	OVC	30.06	63	58	10	4500	AC	—	—	—
23	155	10	4	OVC	30.06	63	58	10	4500	AC	—	—	—
24	155	10	4	OVC	30.06	63	58	10	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO OUTFITTING PIER AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMANDING OFFICER USS RIVAL, ACTING COMINDIV 85 IN USS RIVAL. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE IS SET.

J.B. Marks, ENS, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.B. Marks, ENS, USNR

APPROVED: J. [illegible] U.S.N. COMMANDING

EXAMINED: G.A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 5 (Date) APR (Month), 19 63

08-12 MOORED AS BEFORE.

W. J. Powell LTJG USNR

12-16 MOORED AS BEFORE.

W. J. Powell LTJG USNR.

16-20 MOORED AS BEFORE.

W. J. Powell, LTJG USNR

20-24 MOORED AS BEFORE.

W. J. Powell LTJG USNR

APPROVED: J. Kelly Jr. U.S.N. COMMANDING

EXAMINED: D. R. Fairs Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 75R DATE SATURDAY (Day) 6 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	155	15	4	OVC	30.06	62	59	10	4500	AC	—	—	—
02	155	15	4	OVC	30.06	62	59	10	4500	AC	—	—	—
03	155	15	4	OVC	29.98	62	59	10	4500	AC	—	—	—
04	155	10	4	R	29.91	62	59	10	1600	NS	—	—	—
05	155	8	4	R	29.88	62	59	10	1600	NS	—	—	—
06	155	6	4	R	29.86	62	59	10	1600	NS	—	—	—
07	155	4	4	R	29.84	63	59	10	1600	NS	—	—	—
08	150	3	6	R	29.89	64	62	10	1600	NS	—	—	—
09	150	3	6	R	29.92	66	64	10	1600	NS	—	—	—
10	150	3	6	R	29.92	66	59	10	1600	NS	—	—	—
11	150	3	6	R	29.90	66	59	10	1600	NS	—	—	—
12	150	3	6	R	29.84	66	59	10	1600	NS	—	—	—
13	150	3	6	R	29.80	66	59	10	1600	NS	—	—	—
14	150	3	6	R	29.78	66	59	10	1600	NS	—	—	—
15	150	3	6	R	29.75	66	61	10	1600	NS	—	—	—
16	245	15	1/5	R	29.73	66	64	10	1600	NS	—	—	—
17	245	3	5	R	29.71	66	64	10	1600	NS	—	—	—
18	—	—	8	R	29.69	66	64	10	1600	NS	—	—	—
19	—	—	5	R	29.68	66	64	10	1600	NS	—	—	—
20	240	3	4	R	29.70	66	65	10	1600	NS	—	—	—
21	240	2	5	R	29.70	66	65	10	1600	NS	—	—	—
22	240	3	5	R	29.68	65	63	10	1600	NS	—	—	—
23	240	3	4	R	29.96	63	61	10	1600	NS	—	—	—
24	240	3	4	R	29.65	62	59	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0⁰-04 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPOI IS COMMANDING OFFICER, USS RIVAL (MSO 461), ACTING COMMODORE, CDR MASANN. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W. B. Powell LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENTEES, NONE.

W. B. Powell LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fear Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY 450-519 SATURDAY (Day) 6 (Date) APR (Month), 19 63

08-12 MOORED AS BEFORE.

J. H. King
Lieut USNR

12-16 MOORED AS BEFORE.

J. H. King
Lieut USNR

16-20 MOORED AS BEFORE.

J. H. King
Lieut. USNR

20-24 MOORED AS BEFORE.

J. H. King
Lieut. USNR

APPROVED: J. Hunter Jones U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SUNDAY (Day) 7 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	3	4	R	29.64	61	59	10	1600	NS	—	—	—
02	290	3	4	R	29.64	61	59	10	1600	NS	—	—	—
03	290	3	4	R	29.64	61	59	10	1600	NS	—	—	—
04	290	3	4	R	29.64	61	59	10	1600	NS	—	—	—
05	—	—	1/20	F	29.67	60	59	—	—	—	—	—	—
06	—	—	1/10	F	29.68	58	57	—	—	—	—	—	—
07	—	—	1/30	F	29.67	58	57	—	—	—	—	—	—
08	200	3	8	OVC	29.62	58	57	10	1600	NS	—	—	—
09	200	2	10	OVC	29.72	61	60	10	1600	NS	—	—	—
10	210	2	10	OVC	29.76	60	59	10	1600	NS	—	—	—
11	220	3	10	OVC	29.74	60	59	10	1600	NS	—	—	—
12	230	4	10	OVC	29.70	60	59	10	1600	NS	—	—	—
13	240	3	10	OVC	29.69	60	59	10	1600	NS	—	—	—
14	245	4	10	OVC	29.68	60	59	10	1600	NS	—	—	—
15	245	5	10	OVC	29.67	60	59	10	1600	NS	—	—	—
16	245	6	10	OVC	29.67	60	59	10	4500	AC	—	—	—
17	290	6	10	OVC	29.69	61	60	10	4500	AC	—	—	—
18	290	6	10	BKN	29.71	62	61	8	4500	AC	—	—	—
19	290	6	10	SCT	29.73	62	61	7	4500	AC	—	—	—
20	290	6	10	SCT	29.72	62	61	2	4500	AC	—	—	—
21	290	6	10	SCT	29.76	60	59	2	4500	AC	—	—	—
22	290	6	10	SCT	29.78	59	58	2	4500	AC	—	—	—
23	—	—	10	CLR	29.79	59	58	—	—	—	—	—	—
24	290	6	10	CLR	29.79	58	57	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0⌀-0⌀ MOORED PORT SIDE TO BERTH THREE, SAVANNAH MACHINE AND FOUNDRY CO., SAVANNAH GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS ECOR MASHAW USN IN U.S.S. RIGAL (MSO-468). SHIPS PRESENT INCLUDE U.S.S. CHEWAUCAN (AOG-52), U.S.S. MEADOWLARK (MSC-195) AND VARIOUS MERCHANTS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE MODIFIED SET.

J. H. King
EXECUTIVE

0⌀-0⌀ MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENTEES: NONE.

J. H. King
EXECUTIVE

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: O. A. Forest U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 7 (Date) APRIL (Month), 19 63

Ø8-12 MOORED AS BEFORE.

J.H. King
Ens USNR

12-16 MOORED AS BEFORE.

J.H. King
Ens USNR

16-2Ø MOORED AS BEFORE.

J.H. King
Ens USNR

2Ø-24 MOORED AS BEFORE.

J.H. King

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE MONDAY (Day) 8 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	290	6	10	CLR	29.79	57	56	—	—	—	—	—	—
02	290	6	10	CLR	29.79	57	56	—	—	—	—	—	—
03	290	6	10	CLR	29.79	55	54	—	—	—	—	—	—
04	250	3	H	H	29.79	54	53	—	—	—	—	—	—
05	225	3	H	H	29.81	54	53	—	—	—	—	—	—
06	230	3	H	H	29.83	53	52	—	—	—	—	—	—
07	—	—	H	H	29.85	59	53	—	—	—	—	—	—
08	—	—	~~CLR~~	CLR	29.87	61	55	—	—	—	—	—	—
09	—	—	10	CLR	29.87	63	58	—	—	—	—	—	—
10	—	—	10	CLR	29.89	62	61	—	—	—	—	—	—
11	—	—	10	CLR	29.89	70	69	—	—	—	—	—	—
12	—	—	10	CLR	29.89	70	69	—	—	—	—	—	—
13	—	—	10	SCT	29.86	76	67	3	20,000	C.1	—	—	—
14	185	9	10	SCT	29.83	76	65	3	20,000	C.1	—	—	—
15	185	12	10	SCT	29.82	75	65	4	20,000	C.1	—	—	—
16	245	12	10	SCT	29.81	74	64	4	20,000	C.1	—	—	—
17	245	4	10	SCT	29.81	71	61	2	20,000	C.1	—	—	—
18	—	—	10	CLR	29.81	70	69	—	—	—	—	—	—
19	—	—	10	CLR	29.81	70	68	—	—	—	—	—	—
20	—	—	10	CLR	29.81	70	68	—	—	—	—	—	—
21	—	—	10	CLR	29.84	70	68	—	—	—	—	—	—
22	—	—	10	CLR	29.84	70	68	—	—	—	—	—	—
23	—	—	10	CLR	29.86	68	67	—	—	—	—	—	—
24	—	—	10	CLR	29.86	66	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

~~00~~-04 MOORED PORT SIDE TO BERTH THREE, SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH, GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LCDR. MASHAW, USN, CO U.S.S. RICHAL (MSO-466). SHIPS PRESENT INCLUDE U.S.S. CHEWAUCAN (AOG-52), U.S.S. MEADOW LARK (MSO-495) PLUS MISCELLANEOUS MERCHANTS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE MODIFIED SET.

J.H. King
Lieut. USNR

04-08 MOORED AS BEFORE. ~~J.H.K~~

J.H. King
Lieut. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.O. Fiore Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Monday (Day) 8 (Date) APRIL (Month) 63

0800 - 1200 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

1200 - 1600 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

1600 - 2000 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

2000 - 2400 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 9 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	7	CLR	29.82	66	60	—	—	—	—	—	—
02	240	7	8	CLR	29.80	64	60	—	—	—	—	—	—
03	240	8	8	CLR	29.78	64	60	—	—	—	—	—	—
04	220	8	10	CLR	27.78	64	60	—	—	—	—	—	—
05	220	8	10	CLR	29.78	64	60	—	—	—	—	—	—
06	210	8	10	CLR	29.78	64	60	—	—	—	—	—	—
07	200	6	10	CLR	29.79	70	60	—	—	—	—	—	—
08	200	6	10	SCT	29.76	71	64	2	20,000	CI	—	—	—
09	200	6	10	SCT	29.75	71	64	2	20,000	CI	—	—	—
10	230	5	10	SCT	29.74	70	64	2	20,000	CI	—	—	—
11	240	5	10	SCT	29.74	71	64	2	20,000	CI	—	—	—
12	240	6	10	SCT	29.74	71	64	2	20,000	CI	—	—	—
13	240	6	10	SCT	29.71	72	65	2	20,000	CI	—	—	—
14	240	7	10	SCT	29.68	77	67	2	20,000	CI	—	—	—
15	240	8	10	SCT	29.67	77	68	2	20,000	CI	—	—	—
16	240	7	10	SCT	29.68	79	70	2	20,000	CI	—	—	—
17	240	6	10	CLR	29.68	77	70	—	—	—	—	—	—
18	235	6	10	CLR	29.68	75	70	—	—	—	—	—	—
19	235	6	10	CLR	29.70	74	70	—	—	—	—	—	—
20	235	4	10	CLR	29.71	74	70	—	—	—	—	—	—
21	235	4	10	CLR	29.72	71	68	—	—	—	—	—	—
22	235	4	10	CLR	29.71	70	67	—	—	—	—	—	—
23	235	3	10	CLR	29.70	70	67	—	—	—	—	—	—
24	230	3	10	CLR	29.70	69	66	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO BERTH 2 AT SAVANNAH MACHINE AND FOUNDRY CO., SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: LCDR. MASHAW, ACTING COMINAIR 8 IN USS RIVAL (MSO-468). SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B.J. Taylor Jr.
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B.J. Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: O.O. Foret LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (AMS-519) TUESDAY (Day) 9 (Date) APRIL (Month), 19 63

0800-1200 MOORED AS BEFORE.

J. A. King
Lieut USNR

1200-1600 MOORED AS BEFORE.

J. A. King
Lieut USNR

1600-2400 MOORED AS BEFORE.

J. A. King
Lieut USNR

2400-2400 MOORED AS BEFORE.

J. A. King
Lieut USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 10 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	3	10	CLR	29.70	69	67	—	—	—	—	—	—
02	240	3	10	CLR	29.70	68	67	—	—	—	—	—	—
03	240	3	10	CLR	29.70	66	65	—	—	—	—	—	—
04	225	3	10	CLR	29.71	66	65	—	—	—	—	—	—
05	225	2	10	CLR	29.71	66	65	—	—	—	—	—	—
06	225	3	10	CLR	29.73	66	65	—	—	—	—	—	—
07	225	4	10	CLR	29.75	66	65	—	—	—	—	—	—
08	225	4	10	CLR	29.75	70	66	—	—	—	—	—	—
09	315	6	8	CLR	29.76	70	66	—	—	—	—	—	—
10	315	10	8	CLR	29.76	72	67	—	—	—	—	—	—
11	045	5	10	CLR	29.77	73	67	—	—	—	—	—	—
12	045	3	8	CLR	29.78	75	68	—	—	—	—	—	—
13	—	—	8	CLR	29.75	79	68	—	—	—	—	—	—
14	045	3	8	CLR	29.23	81	70	—	—	—	—	—	—
15	045	8	8	CLR	29.72	79	70	—	—	—	—	—	—
16	080	4	8	BKN	29.74	77	69	6	4500	AC/CU	—	—	—
17	080	6	8	BKN	29.74	75	69	6	4500	AC/CU	—	—	—
18	090	6	8	BKN	29.74	74	69	6	4500	AC/CU	—	—	—
19	080	4	8	BKN	29.74	74	69	6	4500	AC/CU	—	—	—
20	—	—	5	CLR	29.76	69	66	—	—	—	—	—	—
21	135	4	5	CLR	29.77	68	65	—	—	—	—	—	—
22	—	—	5	CLR	29.78	68	65	—	—	—	—	—	—
23	—	—	2	F	29.76	66	64	—	—	—	—	—	—
24	—	—	2	F	29.78	65	63	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

—

REMARKS

00-04 MOORED PORTSIDE TO BERTH THREE, SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA. WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LCDR MASHAW, USN, IN U.S.S. RIVAL (MSO-468). SHIPS PRESENT INCLUDE U.S.S. CHEMUNGAN (ARG-5) U.S.S. MEADOWLARK (MSC-195) PLUS MISCELLANEOUS MERCHANTS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE MODIFIED SET.

J. H. King
Ens. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

J. H. King
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 10 (Date) APRIL (Month), 19 63

08 - 12. MOORED AS BEFORE.

J. B. Marks ENS, USNR

12 - 16 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

16 - 20 MOORED AS BEFORE

J. B. Marks, ENS, USNR

20 - 24 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 11 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	6	F	29.76	65	64	—	—	—	—	—	—
02	—	—	8	CLR	29.75	65	63	—	—	—	—	—	—
03	—	—	8	CLR	29.74	65	63	—	—	—	—	—	—
04	—	—	6	H-K	29.76	65	61	—	—	—	—	—	—
05	—	—	6	H-K	29.76	65	61	—	—	—	—	—	—
06	—	—	6	H-K	29.76	65	61	—	—	—	—	—	—
07	—	—	6	H-K	29.76	63	61	—	—	—	—	—	—
08	185	6	8	CLR	29.77	63	61	—	—	—	—	—	—
09	220	5	10	CLR	29.79	69	66	—	—	—	—	—	—
10	220	5	8	H-K	29.80	72	70	—	—	—	—	—	—
11	250	8	8	H-K	29.81	72	70	—	—	—	—	—	—
12	250	8	8	H	29.81	68	66	—	—	—	—	—	—
13	250	8	10	H-K	29.80	69	67	—	—	—	—	—	—
14	250	8	10	H-K	29.80	69	67	—	—	—	—	—	—
15	250	8	10	H-K	29.81	69	68	—	—	—	—	—	—
16	200	9	10	CLR	29.81	67	65	—	—	—	—	—	—
17	135	9	9	CLR	29.82	67	62	—	—	—	—	—	—
18	130	9	8	CLR	29.82	66	59	—	—	—	—	—	—
19	130	9	9	CLR	29.82	63	56	—	—	—	—	—	—
20	130	4	8	CLR	29.87	63	59	—	—	—	—	—	—
21	130	4	8	CLR	29.88	63	59	—	—	—	—	—	—
22	130	4	8	CLR	29.88	63	59	—	—	—	—	—	—
23	130	6	8	CLR	29.88	63	59	—	—	—	—	—	—
24	130	6	8	CLR	29.88	63	59	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH NO. THREE (3) AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMANDING OFFICER USS RIVAL (MSO-468) ACTING COMINDIN 85 IN USS RIVAL. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III AND MATERIAL CONDITION YOKE IS SET.

T. B. Marks, ENS, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

T. B. Marks, ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: O. A. Farey, LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY / 11 APRIL 1963
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE.

W. B. Buell LTJG USNR.

1200-1600 MOORED AS BEFORE.

W. B. Buell LTJG USNR.

1600-2000 MOORED AS BEFORE.

W. B. Buell LTJG USNR.

2000-2400 MOORED AS BEFORE.

W. B. Buell LTJG USNR.

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION T5R DATE FRIDAY (Day) 12 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	6	8	CLR	29.88	62	58	—	—	—	—	—	—
02	130	6	8	CLR	29.88	62	58	—	—	—	—	—	—
03	130	6	8	CLR	29.88	62	58	—	—	—	—	—	—
04	130	6	10	CLR	29.83	63	59	—	—	—	—	—	—
05	165	6	10	SCT	29.83	63	60	5	1600	NS	—	—	—
06	135	6	9	OVC	29.85	64	61	10	1600	NS	—	—	—
07	135	6	9	OVC	29.85	64	61	10	1600	NS	—	—	—
08	135	7	10	OVC	29.87	67	63	10	1600	NS	—	—	—
09	135	7	10	OVC	29.86	68	64	10	1600	NS	—	—	—
10	130	10	10	R	29.84	67	62	10	1600	NS	—	—	—
11	130	10	3	R	29.90	58	56	10	1600	NS	—	—	—
12	—	—	3	R	29.90	60	59	10	1600	NS	—	—	—
13	—	—	3	R	29.90	63	62	10	1600	NS	—	—	—
14	—	—	8	R	29.86	66	64	10	1600	NS	—	—	—
15	—	—	8	R	29.86	66	64	10	1600	NS	—	—	—
16	—	—	8	R	29.85	65	64	10	1600	NS	—	—	—
17	—	—	8	R	29.85	64	63	10	1600	NS	—	—	—
18	—	—	8	R	29.85	63	62	10	1600	NS	—	—	—
19	—	—	8	R	29.84	63	62	10	1600	NS	—	—	—
20	—	—	9	R	29.88	63	62	10	1600	NS	—	—	—
21	315	6	9	OVC	29.93	63	62	10	1600	NS	—	—	—
22	315	6	9	OVC	29.91	63	60	10	1600	NS	—	—	—
23	315	3	9	OVC	29.91	62	61	10	1600	NS	—	—	—
24	315	3	9	F	29.90	62	60	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400 —

FUEL CONSUMED 0000–2400 —

REMARKS

04-04 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LCDR MASDON, CO. USS RIVAL (MSO 468), ACTING COMMODIV 5. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.O. Bell LTJG USNR.

04-04 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

W.O. Bell LTJG USNR

APPROVED: J. Hutton Jr. U.S.N. COMMANDING

EXAMINED: R. Jones, LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 FRIDAY (Day) 12 (Date) APRIL (Month), 19 63

08-12 MOORED AS BEFORE.

B D Taylor Jr
ENS. USNR

12-16 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

16-20 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

20-24 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: R. L. Fess, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SATURDAY (Day) 13 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	1	F	29.90	62	60	—	—	—	—	—	—
02	290	2	1/10	F	29.88	62	60	—	—	—	—	—	—
03	—	—	1/10	F	29.87	60	59	—	—	—	—	—	—
04	—	—	1/20	F	29.87	58	57	—	—	—	—	—	—
05	—	—	2/12	F	29.87	58	57	—	—	—	—	—	—
06	—	—	10	CLR	29.89	58	56	—	—	—	—	—	—
07	—	—	10	CLR	29.91	57	55	—	—	—	—	—	—
08	135	8	10	CLR	29.94	57	54	—	—	—	—	—	—
09	135	8	10	CLR	29.95	59	55	—	—	—	—	—	—
10	135	12	10	CLR	29.96	59	55	—	—	—	—	—	—
11	135	12	10	CLR	29.96	64	57	—	—	—	—	—	—
12	—	—	10	CLR	29.94	66	58	—	—	—	—	—	—
13	—	—	10	CLR	29.92	67	58	—	—	—	—	—	—
14	—	—	10	CLR	29.91	70	69	—	—	—	—	—	—
15	320	4	10	CLR	29.91	72	71	—	—	—	—	—	—
16	300	4	10	CLR	29.90	72	71	—	—	—	—	—	—
17	300	4	10	CLR	29.89	72	71	—	—	—	—	—	—
18	300	4	10	CLR	29.89	70	70	—	—	—	—	—	—
19	—	—	10	CLR	29.91	68	58	—	—	—	—	—	—
20	—	—	10	CLR	29.91	65	57	—	—	—	—	—	—
21	—	—	10	CLR	29.92	65	56	—	—	—	—	—	—
22	—	—	10	CLR	2992	67	56	—	—	—	—	—	—
23	—	—	10	CLR	29.93	63	55	—	—	—	—	—	—
24	250	6	10	CLR	29.93	61	54	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA! LCMDR. MASHAW, ACTING COMINDIV 85, IN USS RIVAH (MSO-468). SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B. J. Taylor Jr.
Ens. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

B. J. Taylor Jr.
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 13 (Date) APRIL (Month), 19 63

08-12 MOORED AS BEFORE.

J. B. Marks ENS, USNR

12-16 MOORED AS BEFORE,

J. B. Marks ENS, USNR

16-20 MOORED AS BEFORE

J. B. Marks ENS USNR

20-24 MOORED AS BEFORE.

J. B. Marks ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SUNDAY (Day) 14 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	6	10	CLR	29.95	60	53	—	—	—	—	—	—
02	240	6	10	CLR	29.97	59	53	—	—	—	—	—	—
03	240	6	10	CLR	29.98	58	53	—	—	—	—	—	—
04	240	6	9	CLR	30.00	57	52	—	—	—	—	—	—
05	235	6	9	CLR	30.00	56	52	—	—	—	—	—	—
06	235	6	9	CLR	30.01	55	52	—	—	—	—	—	—
07	230	6	9	CLR	30.03	54	52	—	—	—	—	—	—
08	225	6	8	CLR	30.04	53	52	—	—	—	—	—	—
09	215	8	8	CLR	30.06	55	54	—	—	—	—	—	—
10	135	8	8	CLR	30.06	59	58	—	—	—	—	—	—
11	135	6	8	SCT	30.06	60	58	3	1600	CU	—	—	—
12	140	3	10	CLR	30.07	62	59	—	—	—	—	—	—
13	150	3	10	CLR	30.05	63	59	—	—	—	—	—	—
14	160	3	10	CLR	30.04	64	60	—	—	—	—	—	—
15	170	3	10	CLR	30.03	65	61	—	—	—	—	—	—
16	180	3	10	CLR	30.02	66	63	—	—	—	—	—	—
17	185	3	10	CLR	30.01	63	62	—	—	—	—	—	—
18	185	3	10	CLR	30.01	64	63	—	—	—	—	—	—
19	180	3	10	CLR	30.02	63	62	—	—	—	—	—	—
20	—	—	10	CLR	30.03	63	62	—	—	—	—	—	—
21	—	—	10	CLR	30.04	61	62	—	—	—	—	—	—
22	—	—	10	CLR	30.05	60	59	—	—	—	—	—	—
23	—	—	10	CLR	30.06	59	58	—	—	—	—	—	—
24	—	—	10	CLR	30.06	59	58	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 ~~MOOR~~ JBM MOORED PORT SIDE TO BERTH NO. THREE (3) AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH, GEORGIA WITH FOUR (4) STANDARD NYLON MOORING LINES ~~DOUBLE~~ JBM DOUBLED TO THE PIER. SOPA IS COMMANDING OFFICER USS RIVAL (MSO-468) ACTING COMINDIV 85 IN USS RIVAL. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III AND MATERIAL CONDITION YOKE IS SET.

J. B. Marks ENS, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J. B. Marks, ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fair Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ~~SHA~~ TBM ABILITY (MSO-519) SUNDAY (Day) 14 (Date) APRIL (Month), 19 63

08-12 MOORED AS BEFORE.

J.B. Marks ENS USNR

12-16 MOORED AS BEFORE

J.B. Marks ENS, USNR

16-20 MOORED AS BEFORE

J.B. Marks ENS, USNR

20-24 MOORED AS BEFORE.

J.B. Marks, ENS, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Fear, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE MONDAY (Day) 15 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.06	57	56	—	—	—	—	—	—
02	—	—	10	CLR	3005	56	55	—	—	—	—	—	—
03	—	—	10	CLR	30.04	56	55	—	—	—	—	—	—
04	—	—	10	CLR	30.03	56	55	—	—	—	—	—	—
05	—	—	10	CLR	30.02	56	55	—	—	—	—	—	—
06	—	—	10	CLR	30.02	53	50	—	—	—	—	—	—
07	—	—	10	CLR	30.02	52	51	—	—	—	—	—	—
08	—	—	10	CLR	30.05	53	51	—	—	—	—	—	—
09	175	3	10	CLR	30.06	55	53	—	—	—	—	—	—
10	175	4	10	CLR	30.09	62	57	—	—	—	—	—	—
11	175	4	10	CLR	30.09	64	57	—	—	—	—	—	—
12	175	4	10	CLR	30.10	65	58	—	—	—	—	—	—
13	180	5	10	CLR	30.10	66	58	—	—	—	—	—	—
14	180	6	10	CLR	30.11	67	60	—	—	—	—	—	—
15	180	6	10	CLR	30.11	68	61	—	—	—	—	—	—
16	180	7	10	CLR	30.13	67	61	—	—	—	—	—	—
17	200	6	10	CLR	30.13	65	61	—	—	—	—	—	—
18	200	5	10	CLR	30.12	64	58	—	—	—	—	—	—
19	200	5	10	CLR	30.12	62	57	—	—	—	—	—	—
20	195	4	10	CLR	30.11	60	55	—	—	—	—	—	—
21	195	4	10	CLR	30.10	59	54	—	—	—	—	—	—
22	190	4	10	CLR	30.09	57	54	—	—	—	—	—	—
23	185	3	10	CLR	30.09	56	53	—	—	—	—	—	—
24	185	3	10	CLR	30.10	55	51	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO BERTH NO. THREE (3) AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH, GEORGIA WITH FOUR (4) STANDARD NYLON MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMANDING OFFICER USS RIVAL (MSO-468) ACTING COMINDIV 85 IN USS RIVAL. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III AND MATERIAL CONDITION YOKE IS SET.

J. B. Marks ENS, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. B. Marks, ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY 15 APRIL 19 63
(Day) (Date) (Month)

08-12 MOORED AS BEFORE.

J. H. King
Lieut. USNR

12-16 MOORED AS BEFORE.

J. H. King
Lieut. USNR

16-20 MOORED AS BEFORE.

J. H. King
Lieut USNR

20-24 MOORED AS BEFORE.

J. H. King
Lieut. USNR

APPROVED: J. Hunter Jr. U.S.N. COMMANDING

EXAMINED: A. D. Fiore Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 16 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.09	54	50	—	—	—	—	—	—
02	—	—	10	CLR	30.07	55	51	—	—	—	—	—	—
03	—	—	10	CLR	30.10	56	52	—	—	—	—	—	—
04	—	—	10	CLR	30.12	56	52	—	—	—	—	—	—
05	190	5	10	CLR	30.13	56	52	—	—	—	—	—	—
06	200	5	10	CLR	30.16	56	52	—	—	—	—	—	—
07	200	4	10	CLR	30.19	56	52	—	—	—	—	—	—
08	200	5	10	CLR	30.20	57	54	—	—	—	—	—	—
09	185	6	10	CLR	30.21	58	55	—	—	—	—	—	—
10	165	3	10	CLR	30.22	61	56	—	—	—	—	—	—
11	145	3	10	CLR	30.23	63	57	—	—	—	—	—	—
12	145	5	10	CLR	30.27	65	59	—	—	—	—	—	—
13	145	4	10	CLR	30.28	67	60	—	—	—	—	—	—
14	150	4	10	CLR	30.27	67	60	—	—	—	—	—	—
15	150	4	10	CLR	30.24	68	60	—	—	—	—	—	—
16	150	4	10	CLR	30.23	69	61	—	—	—	—	—	—
17	—	—	10	CLR	30.20	68	61	—	—	—	—	—	—
18	—	—	10	CLR	30.17	64	58	—	—	—	—	—	—
19	—	—	10	CLR	30.16	60	58	—	—	—	—	—	—
20	—	—	10	CLR	30.15	57	55	—	—	—	—	—	—
21	—	—	10	CLR	30.12	56	55	—	—	—	—	—	—
22	—	—	10	CLR	30.14	57	55	—	—	—	—	—	—
23	—	—	10	CLR	30.15	58	57	—	—	—	—	—	—
24	—	—	10	CLR	30.17	63	59	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

453

REMARKS

0⁰⁰-0⁴ MOORED PORT SIDE TO BERTH THREE, SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH, GEORGIA. SOPA IS LCDR MARSHALL, USN, IN U.S.S. RIVAL (AMSO-468). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS MERCHANTS. RELIEVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH NATIONAL CONDITION YOKE MODIFIED SET.

D. H. King
Ens. USNR

0⁴-0⁸ MOORED AS BEFORE. 0⁷45 MUSTERED THE CREW AT QUARTERS, ABSENTEES: HOUSEHOLDER, W. J., GMG 3, 925-61-21, USN.

D. H. King
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Faire, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 16 (Date) APRIL (Month), 19 63

0800-1200 MOORED AS BEFORE.

J. B. Marks ENS, USNR

1200-1600 MOORED AS BEFORE.

J. B. Marks ENS, USNR

1600-2000 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

2000-2400 MOORED AS BEFORE

J. B. Marks, ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION T5R DATE WEDNESDAY (Day) 17 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.18	63	59	—	—	—	—	—	—
02	—	—	10	CLR	30.16	62	58	—	—	—	—	—	—
03	—	—	10	CLR	30.14	62	56	—	—	—	—	—	—
04	—	—	10	CLR	30.13	61	55	—	—	—	—	—	—
05	—	—	10	CLR	30.16	60	57	—	—	—	—	—	—
06	185	3	10	CLR	30.18	59	57	—	—	—	—	—	—
07	185	3	10	CLR	30.19	60	56	—	—	—	—	—	—
08	190	3	10	CLR	30.21	62	56	—	—	—	—	—	—
09	210	5	10	CLR	30.22	69	60	—	—	—	—	—	—
10	230	8	10	CLR	30.22	72	61	—	—	—	—	—	—
11	230	8	10	CLR	30.21	77	65	—	—	—	—	—	—
12	230	8	10	CLR	30.20	80	66	—	—	—	—	—	—
13	230	8	10	CLR	30.18	81	68	—	—	—	—	—	—
14	230	8	10	CLR	30.16	81	72	—	—	—	—	—	—
15	230	8	10	CLR	30.14	80	71	—	—	—	—	—	—
16	230	8	10	CLR	30.12	79	66	—	—	—	—	—	—
17	230	8	10	CLR	30.12	75	70	—	—	—	—	—	—
18	230	8	10	CLR	30.12	75	68	—	—	—	—	—	—
19	230	8	10	CLR	30.12	73	65	—	—	—	—	—	—
20	230	11	9	CLR	30.11	71	63	—	—	—	—	—	—
21	230	11	9	CLR	30.12	70	63	—	—	—	—	—	—
22	230	11	9	CLR	30.14	70	61	—	—	—	—	—	—
23	230	9	9	CLR	30.12	69	63	—	—	—	—	—	—
24	230	5	9	CLR	30.11	69	63	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
—

FUEL CONSUMED 0000-2400
—

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH NO. THREE (3) AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH FOUR (4) STANDARD NYLON MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMANDING OFFICER USS RIVAL (MSO-468) IN USS RIVAL. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II AND MATERIAL CONDITION YOKE IS SET.

J. B. Marks ENS, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. B. Marks ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G. A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 17 (Date) APRIL (Month), 19 63

08-12 MOORED AS BEFORE.

W.H. Fuell LTJG USNR

12-16 MOORED AS BEFORE 1343 SET THE SPECIAL SEA DETAIL AND MADE ALL NECESSARY PREPARATIONS FOR ENTERING DRY DOCK. BY TUG. SHIP MOVING DEAD PLANT. 1415 TUG MADE UP ON ~~PORT~~ STB QUARTER 1419 PILOT ABOARD 1425 ALL LINES CLEAR, MANUVERING TO ENTER DRYDOCK. 1434 FIRST LINE TO DOCK, STB BOW. BOW PASSED OVER THE SILL. 1439 PILOT DEPARTED, CAST OFF TUG. 1456 SHIP IN PLACE WAITING FOR PUMPING OPERATIONS. 1515 COMMENCED PUMPING WATER OUT OF DRYDOCK.

W.H. Fuell LTJG USNR

16-20 MOORED AS BEFORE. 1600 COMMENCED RECEIVING SERVICES FROM THE PIER. 1620 SHIP RESTING ON KEEL BLOCKS. 1900 INSPECTION COMPLETED OF ALL HULL OPENINGS AND PLANKING.

W.H. Fuell LTJG USNR

20-24 RESTING ON KEEL BLOCKS AS BEFORE.

W.H. Fuell LTJG USNR

APPROVED: J. Hamilton Jr. U.S.N. COMMANDING

EXAMINED: A.A. Fare, Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 18 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	6	10	CLR	30.10	68	63	—	—	—	—	—	—
02	230	8	10	CLR	30.09	66	61	—	—	—	—	—	—
03	230	8	10	CLR	30.08	66	60	—	—	—	—	—	—
04	230	8	10	CLR	30.08	65	60	—	—	—	—	—	—
05	230	6	10	CLR	30.08	63	60	—	—	—	—	—	—
06	—	—	10	CLR	30.10	64	60	—	—	—	—	—	—
07	—	—	10	CLR	30.11	64	60	—	—	—	—	—	—
08	—	—	10	CLR	30.10	66	63	—	—	—	—	—	—
09	—	—	10	CLR	30.10	68	67	—	—	—	—	—	—
10	—	—	10	CLR	30.08	70	69	—	—	—	—	—	—
11	—	—	10	CLR	30.09	70	69	—	—	—	—	—	—
12	—	—	10	CLR	30.06	76	69	—	—	—	—	—	—
13	—	—	10	CLR	30.04	80	75	—	—	—	—	—	—
14	—	—	10	CLR	30.04	86	79	—	—	—	—	—	—
15	—	—	10	CLR	30.02	86	79	—	—	—	—	—	—
16	—	—	10	CLR	30.02	86	79	—	—	—	—	—	—
17	—	—	10	CLR	30.02	86	79	—	—	—	—	—	—
18	—	—	10	CLR	30.04	75	69	—	—	—	—	—	—
19	—	—	10	CLR	30.04	75	69	—	—	—	—	—	—
20	—	—	10	CLR	30.05	75	70	—	—	—	—	—	—
21	—	—	10	CLR	30.05	75	70	—	—	—	—	—	—
22	—	—	10	CLR	30.06	74	68	—	—	—	—	—	—
23	—	—	10	CLR	30.06	72	68	—	—	—	—	—	—
24	—	—	10	CLR	30.06	68	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
—

FUEL CONSUMED
0000-2400
—

REMARKS

0000-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA. SOPA IS CA. HERBERT, CMDR, COMMDLR PS IN THIS SNP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

W.T. Bissell LTJG USNR.

0400-0800 RESTING ON KEEL BLOCKS AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

W.T. Bissell LTJG USNR

APPROVED: J. [illegible] Jr. U.S.N. COMMANDING

EXAMINED: A.A. Fare, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 THURSDAY (Day) 18 (Date) APRIL (Month), 19 63

Ø8-12 MOORED AS BEFORE. Ø8ØØ CMDR. C. A. HERBERT, COMINDIV 85 RETURNED ABOARD AND ASSUMED DUTIES OF SOPA.

B. D. Taylor Jr.
ENS, USNR

12-16 MOORED AS BEFORE.

B. D. Taylor Jr.
ENS, USNR

16-2Ø MOORED AS BEFORE.

B. D. Taylor Jr.
ENS, USNR

2Ø-24 MOORED AS BEFORE.

B. D. Taylor Jr.
ENS, USNR

APPROVED: J. Herbert Jr. U.S.N. COMMANDING

EXAMINED: O. A. Fears LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE FRIDAY (Day) 19 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.06	68	66	—	—	—	—	—	—
02	—	—	10	CLR	30.05	67	65	—	—	—	—	—	—
03	—	—	10	CLR	30.03	66	64	—	—	—	—	—	—
04	—	—	10	CLR	30.02	65	63	—	—	—	—	—	—
05	—	—	10	CLR	30.04	62	60	—	—	—	—	—	—
06	—	—	10	CLR	30.05	62	60	—	—	—	—	—	—
07	—	—	10	CLR	30.07	63	62	—	—	—	—	—	—
08	—	—	10	CLR	30.05	66	65	—	—	—	—	—	—
09	—	—	10	CLR	30.05	71	70	—	—	—	—	—	—
10	—	—	10	CLR	30.06	74	72	—	—	—	—	—	—
11	—	—	10	CLR	30.08	77	75	—	—	—	—	—	—
12	270	4	10	CLR	30.08	80	78	—	—	—	—	—	—
13	—	—	10	CLR	30.06	82	80	—	—	—	—	—	—
14	225	4	10	SCT	30.04	84	81	3	1600	CU	—	—	—
15	225	2	10	SCT	30.02	86	84	4	1600	CU	—	—	—
16	225	6	10	SCT	29.99	87	84	4	1600	CU	—	—	—
17	225	5	10	SCT	29.99	86	84	4	1600	CU	—	—	—
18	225	5	10	SCT	30.00	82	79	3	1600	CU	—	—	—
19	225	6	10	SCT	29.99	77	75	4	1600	CU	—	—	—
20	—	—	10	SCT	29.99	75	71	4	1600	CU	—	—	—
21	—	—	10	BKN	30.02	75	71	6	1600	CU	—	—	—
22	—	—	10	BKN	30.02	74	71	6	1600	CU	—	—	—
23	—	—	10	BKN	30.02	72	69	6	1600	CU	—	—	—
24	—	—	10	BKN	29.99	68	66	6	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

—

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA. SOPA: C. A. HERBERT CMDR, COMINDEU 85 IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

E. J. Taylor Jr.
ENS. USNR

04-08 MOORED AS BEFORE. 0448 LCDR. MASHAW ASSUMED DUTIES OF SOPA. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

E. J. Taylor Jr.
ENS. USNR

APPROVED: J. [illegible] U.S.N. COMMANDING

EXAMINED: A. A. Fiore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 19 (Date) APRIL (Month), 1963

0800-1200 MOORED AS BEFORE.

J. H. King
Ens. USNR

1200-1600 MOORED AS BEFORE.

J. H. King
Ens. USNR

1600-2000 MOORED AS BEFORE.

J. H. King
Ens. USNR

2000-2400 MOORED AS BEFORE.

J. H. King
Ens. USNR

APPROVED: J. [illegible] Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SATURDAY (Day) 20 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	29.99	68	66	5	1600	CU	—	—	—
02	—	—	10	SCT	30.00	67	66	3	1600	CU	—	—	—
03	—	—	10	CLR	30.00	67	66	—	—	—	—	—	—
04	225	2	10	CLR	30.00	67	64	—	—	—	—	—	—
05	225	2	10	CLR	30.00	66	65	—	—	—	—	—	—
06	240	2	10	SCT	30.01	67	65	4	1600	CU	—	—	—
07	250	2	10	SCT	30.03	69	67	4	1600	CU	—	—	—
08	—	—	10	SCT	30.06	72	70	4	1600	CU	—	—	—
09	250	2	10	SCT	30.06	75	72	5	1600	CU	—	—	—
10	250	2	10	SCT	30.08	80	75	5	1600	CU	—	—	—
11	275	7	10	BKN	30.08	81	75	6	1600	CU	—	—	—
12	300	10	10	BKN	30.07	82	75	6	1600	CU	—	—	—
13	315	12	10	BKN	30.06	83	75	6	1600	CU	—	—	—
14	295	12	10	BKN	30.04	84	74	6	1600	CU	—	—	—
15	315	6	10	BKN	30.01	86	74	6	1600	CU	—	—	—
16	315	4	10	SCT	29.99	87	75	5	1600	CU	—	—	—
17	315	4	10	SCT	29.99	87	75	5	1600	CU	—	—	—
18	315	4	10	CLR	29.99	85	75	—	—	—	—	—	—
19	310	4	10	CLR	29.99	84	75	—	—	—	—	—	—
20	—	—	10	CLR	30.01	77	71	—	—	—	—	—	—
21	270	2	10	CLR	30.03	77	71	—	—	—	—	—	—
22	270	2	10	CLR	30.03	77	71	—	—	—	—	—	—
23	270	2	10	CLR	30.02	77	71	—	—	—	—	—	—
24	270	2	10	CLR	30.03	77	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: —

FUEL CONSUMED 0000-2400: —

REMARKS

0⁰-04 MOORED, RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA. SOPA IS C.A. HERBERT COR, USN, COMINEW 85 IN THIS SHIP. SHIPS PRESENT INCLUDE U.S.S. CHEWAUCAN (AOG-50), U.S.S. MEADOWLARK (MSC-195) AND VARIOUS MERCHANTS. RECIEVING MISELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE MODIFIED SET.

J.H. King
Ens. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J.H. King
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.O. Faire LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 20 (Date) APRIL (Month), 19 63

ΦF-12 RESTING ON KEEL BLOCKS AS BEFORE.

W.S. Friell LTJG USNR

12-16 RESTING ON KEEL BLOCKS AS BEFORE.

W.S. Friell LTJG USNR.

1L-2Φ RESTING ON KEEL BLOCKS AS BEFORE

W.S. Friell LTJG USNR

2Φ-24 RESTING ON KEEL BLOCKS AS BEFORE.

W.S. Friell LTJG USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fraser Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 75R DATE SUNDAY (Day) 21 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	270	4	10	CLR	30.04	72	69	—	—	—	—	—	—
02	250	4	10	CLR	30.02	71	67	—	—	—	—	—	—
03	250	4	10	CLR	30.01	70	66	—	—	—	—	—	—
04	250	4	10	CLR	30.01	70	66	—	—	—	—	—	—
05	250	4	10	CLR	30.01	70	66	—	—	—	—	—	—
06	250	4	10	CLR	30.02	68	65	—	—	—	—	—	—
07	300	2	10	CLR	30.03	71	68	—	—	—	—	—	—
08	320	2	10	CLR	30.04	72	69	—	—	—	—	—	—
09	320	2	10	CLR	30.06	76	70	—	—	—	—	—	—
10	320	2	10	CLR	30.08	79	72	—	—	—	—	—	—
11	320	2	10	CLR	30.10	82	74	—	—	—	—	—	—
12	230	3	10	SCT	30.06	85	73	5	1600	CU	—	—	—
13	230	11	10	SCT	30.05	87	75	5	1600	CU	—	—	—
14	230	8	10	SCT	30.02	89	75	5	1600	CU	—	—	—
15	225	5	10	SCT	30.01	90	75	5	1600	CU	—	—	—
16	225	4	10	SCT	30.00	89	76	5	1600	CU	—	—	—
17	225	4	10	SCT	30.00	85	75	5	1600	CU	—	—	—
18	—	—	10	SCT	30.00	84	74	5	1600	CU	—	—	—
19	—	—	10	CLR	30.00	82	74	—	—	—	—	—	—
20	—	—	10	CLR	30.00	78	74	—	—	—	—	—	—
21	—	—	10	CLR	30.01	77	73	—	—	—	—	—	—
22	—	—	10	CLR	30.03	76	72	—	—	—	—	—	—
23	—	—	10	CLR	30.05	76	72	—	—	—	—	—	—
24	—	—	10	CLR	30.05	76	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0400 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH GEORGIA. SOPA IS LCDR MASRON, CO USS RIVAL (MSO 468), ACTING COMMUNIC PS OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS VI AND MATERIAL CONDITION YOKE SET

W. O. Sneed LTJG USNR

0400-0800 RESTING ON KEEL BLOCKS AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS, ABSENTEES NONE.

W. O. Sneed LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. A. Fiorentino U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 21 (Date) APRIL (Month), 19 43

ØP-12 RESTING ON KEEL BLOCKS AS BEFORE.

W. O. Neill LTJG USNR.

12-1C RESTING ON KEEL BLOCKS AS BEFORE.

W. O. Neill LTJG USNR.

1C-2Ø RESTING ON KEEL BLOCKS AS BEFORE.

W. O. Neill LTJG USNR.

2Ø-2Ø RESTING ON KEEL BLOCKS AS BEFORE.

W. O. Neill LTJG USNR

APPROVED: T. Hatten Jr. U.S.N. COMMANDING

EXAMINED: A. A. Frare, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 75R DATE MONDAY (Day) 22 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	235	5	10	CLR	30.00	72	67	—	—	—	—	—	—
02	230	3	10	CLR	30.00	71	66	—	—	—	—	—	—
03	230	3	10	CLR	29.98	70	65	—	—	—	—	—	—
04	230	3	10	CLR	29.98	69	65	—	—	—	—	—	—
05	230	3	10	CLR	29.98	69	65	—	—	—	—	—	—
06	230	3	10	CLR	29.98	69	65	—	—	—	—	—	—
07	230	3	10	CLR	29.98	69	65	—	—	—	—	—	—
08	—	—	10	CLR	29.99	73	68	—	—	—	—	—	—
09	—	—	10	CLR	30.00	75	71	—	—	—	—	—	—
10	—	—	10	CLR	30.00	79	73	—	—	—	—	—	—
11	—	—	10	SCT	30.00	81	73	5	1600	C.U	—	—	—
12	235	6	10	SCT	29.98	83	76	4	1600	C.U	—	—	—
13	235	6	10	SCT	29.95	85	78	4	1600	CU	—	—	—
14	240	6	10	SCT	29.93	87	75	3	1600	CU	—	—	—
15	245	6	10	SCT	29.91	88	72	3	1600	CU	—	—	—
16	240	3	10	SCT	29.91	88	73	3	1600	CU	—	—	—
17	240	3	10	SCT	29.88	87	75	4	1600	CU	—	—	—
18	—	—	10	CLR	29.89	85	74	—	—	—	—	—	—
19	—	—	10	CLR	29.88	85	74	—	—	—	—	—	—
20	—	—	10	SCT	29.90	82	72	4	1600	CU	—	—	—
21	—	—	10	SCT	29.89	80	71	4	1600	CU	—	—	—
22	—	—	10	CLR	29.88	77	70	—	—	—	—	—	—
23	—	—	10	CLR	29.88	76	69	—	—	—	—	—	—
24	—	—	10	CLR	29.88	75	68	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0000-0400 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA. SOPA IS LCDR MASSEY, CO USS RIVAL (MSO 448) ACTING COMMODORE. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

W. Stewart 2ndJG USNR.

0400-0800 RESTING ON KEEL BLOCKS AT BEFORE. 0800 MUSTERED THE CREW ON STATION, ABSENTEES NONE.

W. Stewart 2nd JG USNR.

APPROVED: J. K. Mullaney Jr. U.S.N. COMMANDING

EXAMINED: G. A. Faraght U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 22 (Date) APRIL (Month), 19 63

08-12 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

12-16 MOORED AS BEFORE.

J. B. Marks, ENS, USNR

16-20 MOORED AS BEFORE

J. B. Marks, ENS, USNR

20-24 MOORED AS BEFORE.

J. B. Marks ENS, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 23 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	29.88	75	68	—	—	—	—	—	—
02	—	—	10	CLR	29.87	74	68	—	—	—	—	—	—
03	—	—	10	CLR	29.87	74	67	—	—	—	—	—	—
04	—	—	10	CLR	29.86	72	67	—	—	—	—	—	—
05	—	—	10	CLR	29.86	72	75	—	—	—	—	—	—
06	240	2	10	CLR	29.89	70	66	—	—	—	—	—	—
07	245	4	10	CLR	29.89	71	66	—	—	—	—	—	—
08	320	4	10	CLR	29.90	72	68	—	—	—	—	—	—
09	320	4	10	CLR	29.89	75	70	—	—	—	—	—	—
10	350	4	10	CLR	29.88	78	73	—	—	—	—	—	—
11	350	4	10	CLR	29.87	84	75	—	—	—	—	—	—
12	340	6	10	SCT	29.86	86	76	4	1600	CU	—	—	—
13	340	6	10	SCT	29.85	87	76	4	1600	CU	—	—	—
14	340	6	10	SCT	29.85	88	77	4	1600	CU	—	—	—
15	340	6	10	SCT	29.84	87	77	4	1600	CU	—	—	—
16	340	11	10	SCT	29.82	87	76	5	1600	CU	—	—	—
17	235	6	10	OVC	29.82	85	75	10	4500	AC	—	—	—
18	235	7	10	BKN	29.82	85	75	9	4500	AC	—	—	—
19	235	6	10	BKN	29.85	84	75	9	4500	AC	—	—	—
20	230	6	10	BKN	29.89	82	72	9	4500	AC	—	—	—
21	230	6	10	BKN	29.89	79	72	9	4500	AC	—	—	—
22	230	6	10	BKN	29.89	79	72	9	4500	AC	—	—	—
23	230	6	10	BKN	29.89	79	72	9	4500	AC	—	—	—
24	—	—	10	BKN	29.90	79	72	9	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 ~~MOORED IN DRYDOCK~~ JBM RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH, GEORGIA RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS RIVAL (MSO-468) ACTING COMINDIV 85 IN USS RIVAL. OTHER SHIPS IN THE AREA INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS II AND MATERIAL CONDITION YOKE IS SET.

J. B. Marks ENS, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. B. Marks ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G. A. Fore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 23 (Date) APRIL (Month), 19 63

08-12 RESTING ON KEEL BLOCKS AS BEFORE.

W.B. Smith LTJG USNR

12-16 RESTING ON KEEL BLOCKS AS BEFORE.

W.B. Smith LTJG USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE.

W.B. Smith LTJG USNR

20-24 RESTING ON KEEL BLOCKS AS BEFORE.

W.B. Smith LTJG USNR

APPROVED: J. Hatten Jr. U.S.N. COMMANDING

EXAMINED: A.O. Fears, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 24 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	8	10	BKN	29.92	76	70	9	4500	AC/ST	—	—	—
02	040	9	10	BKN	29.92	75	70	9	4500	AC/ST	—	—	—
03	040	11	10	BKN	29.94	74	70	9	4500	AC/ST	—	—	—
04	000	12	10	BKN	29.97	70	63	9	4500	AC/ST	—	—	—
05	340	12	10	BKN	30.00	65	55	8	4500	AC/ST	—	—	—
06	340	10	10	SCT	30.05	63	53	5	20,000	CI	—	—	—
07	350	12	10	SCT	30.05	61	54	5	20,000	CI	—	—	—
08	250	12	10	SCT	30.07	63	57	5	20,000	CI	—	—	—
09	260	10	10	SCT	30.08	65	59	4	1600	CU	—	—	—
10	240	10	10	SCT	30.10	67	61	4	1600	CU	—	—	—
11	200	7	10	SCT	30.10	70	64	3	1600	CU	—	—	—
12	190	5	10	CLR	30.11	73	66	—	—	—	—	—	—
13	200	5	10	CLR	30.11	73	66	—	—	—	—	—	—
14	200	5	10	CLR	30.11	73	66	—	—	—	—	—	—
15	200	5	10	CLR	30.10	71	65	—	—	—	—	—	—
16	200	5	10	SCT	30.06	70	65	4	4500	ST/CI	—	—	—
17	200	5	10	SCT	30.06	70	64	5	4500	ST/CI	—	—	—
18	200	6	10	SCT	30.06	67	64	4	4500	ST/CI	—	—	—
19	200	4	10	SCT	30.06	67	64	4	4500	ST/CI	—	—	—
20	200	2	10	SCT	30.08	66	64	5	1600	CU	—	—	—
21	200	2	10	SCT	30.08	64	63	5	1600	CU	—	—	—
22	220	2	10	SCT	30.09	65	62	4	1600	CU	—	—	—
23	220	1	10	SCT	30.10	65	62	4	1600	CU	—	—	—
24	220	1	10	SCT	30.10	65	62	4	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0400-0744 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH GEORGIA. SOPA IS LCDR MASHAW, CO USS RIVAL (MSO 463), ACTING COMINDIV 8S. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J. W. Snell LTJG USNR

0744-0748 RESTING ON KEEL BLOCKS AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

J. W. Snell LTJG USNR

APPROVED: J. [illegible] Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE (Ty) MSO-519 WEDNESDAY (Day) 24 (Date) APRIL (Month) 19 63

0800-1200 MOORED AS BEFORE.

B J Taylor Jr.
EM. USN

1200-1600 MOORED AS BEFORE.

B J Taylor Jr.
EM. USN

1600-2000 MOORED AS BEFORE.

B J Taylor Jr.
EM. USN

2000-2400 MOORED AS BEFORE.

B J Taylor Jr.
EM. USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: O. A. Fiorentino U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 25 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	5	10	SCT	30.12	67	62	4	1600	CU	—	—	—
02	200	5	10	SCT	30.10	67	62	4	1600	CU	—	—	—
03	200	5	10	SCT	30.10	67	62	4	1600	CU	—	—	—
04	200	5	10	SCT	30.10	68	62	4	1600	CU	—	—	—
05	200	5	10	SCT	30.10	68	62	4	1600	CU/NS	—	—	—
06	200	5	10	OVC	30.10	65	62	10	1600	NS	—	—	—
07	200	5	10	OVC	30.10	66	63	10	1600	NS	—	—	—
08	—	—	8	OVC	30.10	68	64	10	1600	NS	—	—	—
09	090	3	8	OVC	30.12	70	68	10	1600	NS	—	—	—
10	090	3	8	OVC	30.12	70	68	10	1600	NS	—	—	—
11	090	3	8	OVC	30.14	72	70	10	1600	NS	—	—	—
12	090	3	8	OVC	30.14	74	71	10	1600	NS	—	—	—
13	090	3	8	R	30.14	76	71	10	1600	NS	—	—	—
14	090	3	8	OVC	30.14	80	72	10	1600	NS	—	—	—
15	—	—	8	OVC	30.12	74	61	10	1600	NS	—	—	—
16	—	—	8	OVC	30.12	73	62	10	1600	NS	—	—	—
17	—	—	8	OVC	30.12	71	64	10	1600	NS	—	—	—
18	—	—	8	OVC	30.12	70	65	10	1600	NS	—	—	—
19	—	—	8	R	30.12	69	65	10	1600	NS	—	—	—
20	140	3	8	R	30.12	68	65	10	1600	NS	—	—	—
21	140	5	8	OVC	30.12	65	63	10	1600	NS	—	—	—
22	140	5	8	OVC	30.12	65	63	10	1600	NS	—	—	—
23	140	5	8	OVC	30.12	64	61	10	1600	NS	—	—	—
24	140	5	8	OVC	30.12	63	60	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK AT SAVANNAH MACHINE AND FOUNDRY CO., SAVANNAH, GEORGIA. SOPA: LCDR. MASHAW, ACTING COMMANDING OFFICER IN USS RIVAL (MSO-468). SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE drydock. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

B.J. Taylor Jr.
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

B.J. Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSC-579) THURSDAY (Day) 25 (Date) APRIL (Month) 19 63

0800-1200 MOORED AS BEFORE. 0805 SECURED IN-PORT WATCH. SET SPECIAL SEA DETAIL. 0810 COMMENCED FLOODING DRY-DOCK. 0837 SHIP WATERBORNE AS CLEARS KEEL BLOCKS. 0929 COMMENCED BACKING OUT OF DRYDOCK WITH DEAD PLANT. 0941 PILOT ABOARD. 0955 MOORED STARBOARD SIDE TO BERTH #1 SAVANNAH MACHINE AND FOUNDRY COMPANY WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. 1007 SECURED SEA DETAIL. SET IN-PORT WATCH.

J. H. King
Ens. USNR

1200-1600 MOORED AS BEFORE.

J. H. King
Ens. USNR

1600-2000 MOORED AS BEFORE.

J. H. King
Ens. USNR

2000-2400 MOORED AS BEFORE.

J. H. King
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE FRIDAY (Day) 26 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	5	8	OVC	30.10	62	59	10	1600	CU/AC	—	—	—
02	160	5	8	OVC	30.08	61	59	10	1600	CU/AC	—	—	—
03	160	5	8	OVC	30.06	60	58	10	1600	CU/AC	—	—	—
04	160	5	8	OVC	30.07	63	61	10	1600	CU/AC	—	—	—
05	160	5	8	OVC	30.08	64	62	10	1600	CU/AC	—	—	—
06	160	4	9	OVC	30.08	62	61	10	1600	CU/AC	—	—	—
07	160	8	10	BKN	30.09	62	60	9	1600	CU/AC	—	—	—
08	080	8	8	BKN	30.09	62	60	9	1600	NS/AC	—	—	—
09	100	11	9	BKN	30.09	62	59	8	1600	NS/AC	—	—	—
10	100	9	10	BKN	30.09	62	59	9	1600	NS/AC	—	—	—
11	030	13	9	SCT	30.11	67	62	5	1600	CU/AC	—	—	—
12	030	12	10	BKN	30.10	70	58	6	1600	CU/AC	—	—	—
13	030	10	10	BKN	30.09	72	54	7	1600	CU/AC	—	—	—
14	040	10	10	BKN	30.09	72	56	7	1600	CU/AC	—	—	—
15	045	10	10	BKN	30.09	72	56	7	1600	CU/AC	—	—	—
16	045	8	7	BKN	30.09	70	65	7	1600	CU/AC	—	—	—
17	045	8	7	BKN	30.09	70	65	7	1600	CU/AC	—	—	—
18	045	8	7	BKN	30.09	73	67	7	1600	CU/AC	—	—	—
19	045	8	7	BKN	30.10	69	64	7	1600	CU/AC	—	—	—
20	045	8	6	BKN	30.11	67	63	7	1600	CU/AC	—	—	—
21	045	8	6	CLR	30.13	66	62	—	—	—	—	—	—
22	045	3	6	CLR	30.13	65	62	—	—	—	—	—	—
23	045	3	6	CLR	30.14	65	62	—	—	—	—	—	—
24	045	3	6	CLR	30.11	65	62	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
—

FUEL CONSUMED 0000-2400
—

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH ONE, SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SCAS IS C.A. HERBERT, CDR, USN, COMINDIV 85. SHIPS PRESENT INCLUDE U.S.S. CHEWAUCAN (AOG-51) PLUS VARIOUS MERCHANTS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MODIFIED CONDITION YOKE SET.

J.H. King
Ens. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

J.H. King
Ens. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiore Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 26 (Date) APRIL (Month), 19 63

OF-12 MOORED AS BEFORE.

W O Faill LTJG USNR

12-16 MOORED AS BEFORE.

W O Faill LTJG USNR.

06-24 MOORED AS BEFORE

W O Faill LTJG USNR.

24-24 MOORED AS BEFORE.

W O Faill LTJG USNR.

APPROVED: T. K. Keller Jr. U.S.N. COMMANDING

EXAMINED: A. O. Fray, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SATURDAY (Day) 27 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.14	65	61	—	—	—	—	—	—
02	045	6	10	CLR	30.13	62	60	—	—	—	—	—	—
03	045	6	10	CLR	30.11	62	60	—	—	—	—	—	—
04	045	6	10	CLR	30.12	62	60	—	—	—	—	—	—
05	045	6	10	CLR	30.14	61	58	—	—	—	—	—	—
06	045	7	10	CLR	30.15	60	58	—	—	—	—	—	—
07	045	4	10	CLR	30.18	65	60	—	—	—	—	—	—
08	130	2	10	SCT	30.20	70	62	4	1600	CU	—	—	—
09	130	2	10	SCT	30.20	70	62	4	1600	CU	—	—	—
10	050	3	10	SCT	30.21	71	61	3	1600	CU	—	—	—
11	050	3	10	SCT	30.22	74	62	3	1600	CU	—	—	—
12	045	5	10	SCT	30.21	74	64	3	1600	CU	—	—	—
13	045	5	10	SCT	30.20	74	64	3	1600	CU	—	—	—
14	045	5	10	SCT	30.20	74	64	3	1600	CU	—	—	—
15	045	5	10	SCT	30.20	74	64	3	1600	CU	—	—	—
16	135	5	10	BKN	30.19	75	67	8	1600	CU	—	—	—
17	135	5	10	BKN	30.18	76	68	8	1600	CU	—	—	—
18	135	5	10	BKN	30.17	75	67	8	1600	CU	—	—	—
19	130	3	10	BKN	30.17	72	65	9	1600	CU	—	—	—
20	—	—	10	BKN	30.18	71	65	7	1600	CU	—	—	—
21	—	—	10	BKN	30.18	70	64	7	1600	CU	—	—	—
22	—	—	10	BKN	30.18	69	64	7	1600	CU	—	—	—
23	—	—	10	BKN	30.18	68	63	7	1600	CU	—	—	—
24	—	—	10	BKN	30.18	68	63	7	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

~~0~~0-04 MOORED STARBOARD SIDE TO BERTH 3, SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS CA HERBERT, CDR, USN, COMMANDER IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II. WITH MATERIAL CONDITION YOKE SET.

W.W. Snell LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENTEES NONE.

W.W. Snell LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SATURDAY (Day) 27 (Date) APRIL (Month) 1963

08-12 MOORED AS BEFORE.

B J Taylor Jr.
Ens. USNR

12-16 MOORED AS BEFORE.

B J Taylor Jr.
Ens. USNR

16-20 MOORED AS BEFORE.

B J Taylor Jr.
Ens USNR

20-24 MOORED AS BEFORE.

B J Taylor Jr.
Ens. USNR

APPROVED: J K Miller Jr. U.S.N. COMMANDING

EXAMINED: D. A. Fears, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 L DATE SUNDAY (Day) 28 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM SAVANNAH GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	BKN	30.18	68	63	8	1600	CU/NS	—	—	—
02	—	—	10	BKN	30.18	68	63	9	1600	CU/NS	—	—	—
03	—	—	10	BKN	30.18	68	63	9	1600	NS	—	—	—
04	—	—	10	BKN	30.18	68	64	8	1600	NS	—	—	—
05	—	—	10	OVC	30.19	68	64	10	1600	NS	—	—	—
06	—	—	10	OVC	30.21	68	64	10	1600	NS	—	—	—
07	130	3	10	OVC	30.23	68	65	10	1600	NS	—	—	—
08	140	3	10	OVC	30.24	70	65	10	1600	NS	—	—	—
09	130	2	10	OVC	30.24	72	65	10	1600	NS	—	—	—
10	135	3	10	OVC	30.26	73	66	10	1600	NS	—	—	—
11	135	4	8	OVC	30.26	73	67	10	1600	NS	—	—	—
12	135	5	8	OVC	30.24	72	66	10	1600	NS	—	—	—
13	135	5	8	OVC	30.24	72	66	10	1600	NS	—	—	—
14	135	10	8	OVC	30.25	73	64	10	1600	NS	—	—	—
15	135	10	8	L	30.24	72	65	10	1600	NS	—	—	—
16	145	7	8	L	30.23	72	64	10	1600	NS	—	—	—
17	145	6	7	OVC	30.23	70	65	10	1600	NS	—	—	—
18	145	5	8	OVC	30.22	70	68	10	1600	NS	—	—	—
19	145	3	8	OVC	30.21	69	68	10	1600	NS	—	—	—
20	—	—	8	OVC	30.23	70	68	10	1600	NS	—	—	—
21	—	—	8	OVC	30.24	67	68	10	1600	NS	—	—	—
22	—	—	8	OVC	30.24	68	67	10	1600	NS	—	—	—
23	—	—	8	OVC	30.24	68	66	10	1600	NS	—	—	—
24	—	—	8	OVC	30.24	68	66	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 —

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: CDR. C. A. HERBERT, COMMDG OFF IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B. F. Taylor Jr.
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

B. F. Taylor Jr.
ENS. USNR

APPROVED: J. Kelly Jr. U.S.N. COMMANDING

EXAMINED: A. A. Ford, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO - 519 Sunday (Day) 28 (Date) April (Month), 19 63

08-12 MOORED AS BEFORE.

B. F. Daugherty Jr.
ENS. USNR

12-16 MOORED AS BEFORE.

B. F. Daugherty Jr.
ENS. USNR

16-20 MOORED AS BEFORE.

B. F. Daugherty Jr.
ENS. USNR

20-24 MOORED AS BEFORE

B. F. Daugherty Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: O. A. Fore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE Monday (Day) 29 (Date) April (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	OVC	30.24	68	66	10	4500	AC	—	—	—
02	—	—	8	OVC	30.24	68	66	10	4500	AC	—	—	—
03	—	—	8	OVC	30.21	69	66	10	4500	AC	—	—	—
04	—	—	8	OVC	30.20	68	66	10	4500	AC	—	—	—
05	—	—	8	OVC	30.20	69	66	10	4500	AC	—	—	—
06	145	3	8	OVC	30.22	69	67	10	4500	AC	—	—	—
07	145	3	10	OVC	30.25	69	67	10	4500	AC	—	—	—
08	145	3	10	OVC	30.26	70	67	10	4500	AC	—	—	—
09	140	3	10	OVC	30.28	72	67	10	4500	AC	—	—	—
10	140	3	10	OVC	30.28	72	67	10	4500	AC	—	—	—
11	140	3	8	OVC	30.26	72	67	10	4500	AC	—	—	—
12	140	11	7	OVC	30.24	72	65	10	4500	AC	—	—	—
13	150	15	7	OVC	30.22	72	65	10	4500	AC	—	—	—
14	150	13	8	OVC	30.20	73	65	10	4500	AC	—	—	—
15	200	18	10	OVC	30.17	76	67	10	4500	AC	—	—	—
16	180	18	9	SCT	30.16	77	69	4	1600	CU	—	—	—
17	180	18	9	BKN	30.15	75	74	9	1600	CU	—	—	—
18	200	20	9	BKN	30.13	74	73	8	1600	CU	—	—	—
19	200	14	9	BKN	30.12	72	71	8	1600	CU	—	—	—
20	200	14	9	BKN	30.12	71	64	8	1600	CU	—	—	—
21	200	14	9	BKN	30.12	71	64	8	1600	CU	—	—	—
22	200	14	9	BKN	30.12	71	64	8	1600	CU	—	—	—
23	200	14	9	BKN	30.10	70	63	8	1600	CU	—	—	—
24	200	14	8	BKN	30.10	70	63	8	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: COMDR. C. A. HERBERT, COMINDIV 85, IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B. F. Daughtry
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B. F. Daughtry Jr
ENS. USNR

APPROVED: J. Kelley Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore, Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 29 (Date) APRIL (Month), 19 63

C8-12 MOORED AS BEFORE.

W J Smith LTJG USNR.

R-1C MOORED AS BEFORE.

W J Smith LTJG USNR.

1C-24 MOORED AS BEFORE.

W J Smith LTJG USNR.

2ϕ-24 MOORED AS BEFORE.

W J Smith LTJG USNR.

APPROVED: T. Kelley Jr U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 30 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	19	9	SCT	30.09	70	68	4	4500	AC	—	—	—
02	200	20	9	SCT	30.06	70	68	3	1600	CU	—	—	—
03	200	20	9	SCT	30.04	70	68	3	1600	CU	—	—	—
04	200	20	9	SCT	30.06	69	67	4	1600	CU	—	—	—
05	200	20	10	CLR	30.04	69	67	—	—	—	—	—	—
06	200	18	10	BKN	30.05	69	67	9	1600	NS	—	—	—
07	200	10	9	BKN	30.09	69	67	9	1600	NS	—	—	—
08	200	12	8	BKN	30.10	69	67	9	1600	NS	—	—	—
09	200	6	8	OVC	30.11	67	66	10	1600	NS	—	—	—
10	—	—	10	OVC	30.11	65	64	10	1600	NS	—	—	—
11	—	—	10	OVC	30.11	64	63	10	1600	NS	—	—	—
12	145	8	10	OVC	30.11	65	63	10	1600	NS	—	—	—
13	145	8	10	OVC	29.98	67	66	10	1600	NS	—	—	—
14	180	12	10	OVC	29.97	68	67	10	1600	NS	—	—	—
15	180	12	10	OVC	29.98	67	66	10	1600	NS	—	—	—
16	180	12	10	SCT	29.98	70	68	5	1600	NS	—	—	—
17	180	12	10	SCT	29.95	70	68	5	1600	NS	—	—	—
18	180	12	10	SCT	29.98	70	68	5	1600	NS	—	—	—
19	180	12	10	SCT	29.98	70	68	5	1600	NS	—	—	—
20	180	12	10	SCT	29.98	65	64	5	1600	NS	—	—	—
21	180	16	10	OVC	29.98	65	64	10	1600	NS	—	—	—
22	180	16	10	OVC	29.98	65	64	10	1600	NS	—	—	—
23	180	14	10	OVC	29.98	65	64	10	1600	NS	—	—	—
24	180	15	10	OVC	29.98	65	64	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

04-04 MOORED STARBOARD SIDE TO PIER 3 AT SAVANNAH MACHINE AND FOUNDRY CO. SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS CDR CO HERBERT, COMMINDIV 85, EMBARKED IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS ~~II~~ III WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE

LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 30 (Date) APRIL (Month), 19 63

ØB-12 MOORED AS BEFORE.

B D Taylor Jr
Ens. USNR

12-16 MOORED AS BEFORE.

B D Taylor Jr.
Ens. USNR

16-20 MOORED AS BEFORE.

B D Taylor Jr.
Ens. USNR

20-24 MOORED AS BEFORE

B D Taylor Jr
Ens. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6